

Authority	Pembrokeshire	Record No	6331
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	
		Grade	II
Name	SW & SE CHURCHYARD WALLS TO PRIORY CHURCH OF ST.NICHOLAS, INCLUDING STEPS, OVERTHROW & GATE PIERS ONL		

Exterior

South-west wall of stone rubble, descending in height with pebbledash cladding and curving round to gateway at west end of South-east wall. West gateway has late C19 to early C20 gate piers with stepped capping; contemporary iron gates by E Norton and Co Ltd, Garston with curved top rails and with circular uprights with spear-headed finials rising alternately above lower middle and top rails; iron bar overthrow. South-east wall with pebbledash cladding towards Church Terrace and with rendered coping; C19 gateway towards North-east end near Monkton Old Hall, with five stone steps to square rubble gate piers with pyramidal coping, iron scroll overthrow with lamp bracket and gate with arrow head finials rising alternately above top and middle rails; the ironwork of the uprights and finials is in decay. The South-east wall is higher to the North-east of the east gateway, where it forms the boundary with garden of Monkton Old Hall.

Authority	Pembrokeshire	Record No	6453
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19000 200000
		Grade	I
Name	CHURCH OF ST.DANIEL,ST.DANIEL'S HILL		

Exterior

Pre-Norman site. Present building with possibly original C12 fabric enlarged in later medieval times; C14 to C15 west tower with spire; restored in C18, C19 and C20. Stone rubble walls; slate roofs. Small church with nave, chancel and west tower. From west, north wall of nave with blocked window, doorway and lancet window. South nave wall with two lancet windows and a blocked opening. In north chancel wall, from west, a blocked window and a blocked doorway; south chancel wall with one large blocked opening; east end wall with battered base and triple lancet window. West tower with battered base, plain corbelled parapet and stone spire; vertical slit opening in East and North walls, lancet window in west wall; staircase projection on South side.

Internally, nave and chancel with pointed valuted roofs; barrow pointed door to tower; chamber at base of tower also with vaulted roof and stone stairs on south side. Pointed alcove in South chancel wall.

In C18 used as a dissenting chapel eg by the Reverend Howell Davies, Moderator of the Calvinists in Pembrokeshire, who also possibly restored it. Used by John Wesley for his own preaching eg in 1767, 1768, 1769 and 1771 and possibly as a settled place for his preachers in the Pembrokeshire circuit formed circa 1771; Wesley's preferment to St Daniel's was listed in the Gentleman's Magazine in January 1772. In 1849, St Daniel's conveyed to the Ecclesiastical commissioners.

RCAHM, "Inventory of the county of Pembroke", 1925; item 838. RCAHM records. Proceedings of the Wesley Historical Society, 1974 p 158.

Authority	Pembrokeshire	Record No	6327
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19000 200000
		Grade	II*
Name	DOVECOTE IN FIELD TO NW.OF PRIORY FARMHOUSE, CHURCH TERRACE, MONKTON		

Exterior

Medieval dovecote thought to have been one of the conventual buildings attached to the Priory at Monkton. Cylindrical stone structure with corbelled roof with circular vent at apex and with internal nesting boxes; doorway with shaped heads; vents. In disrepair.

Authority	Pembrokeshire	Record No	6328
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19000 200000
		Grade	II*
Name	PRIORY FARMHOUSE, CHURCH TERRACE, MONKTON		

Exterior

C14 to 15. A building with fortified first floor hall comprising former conventual building. Long rectangle with small projection at North-west end; later C19 South-west wing. Stone rubble walls with pebbledash cladding retaining external corbelling to former parapet above first floor; slate gabled roofs. East elevation has C19 brick heads to window openings with one sash window on first floor and two two-light casements below. Formerly an external staircase, possibly with "very curious pillars" (R Fenton, "Historical Tour through Pembrokeshire, "Brecon edition of 1903) in North-east angle between the two medieval wings. Present entry at ground level through modern door in east elevation; this has a C19 brick-headed window to south of it. Above, a corbelled chimney with cylindrical stack to left hand, and a window opening with stone dressings to right hand with blocked doorway about it. South elevation with corbelling and with a window both above and below. Interior retains vaulted undercroft at north end; any other early features have been concealed by later decoration.

Authority	Pembrokeshire	Record No	6329
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19000 200000
		Grade	II
Name	OUTBUILDING TO E.OF PRIORY FARMHOUSE,CHURCH TERRACE,MONKTON		

Exterior

Remains of medieval Priory buildings are incorporated in post-medieval outbuilding of one storey and loft with stone walls and slate roof to east of Priory Farmhouse. Internally, two wide full-height arches in north wall, with north lean-to against it and with springing line of further arch jutting forward from east end of outbuilding. Pointed masonry arches over some openings in south elevations.

(Harris and Co, Visitors' Guide to Pembroke and Neighbourhood, 1891, 18)

Authority	Pembrokeshire	Record No	6330
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19000 200000
		Grade	I
Name	PRIORY CHURCH OF ST.NICHOLAS,CHURCH TERRACE, MONKTON		

Exterior

In 1098, the church of St Nicholas, described as in Pembroke Castle, was granted to the Abbey of Seez in Normandy; in 1443, the Priory at Monkton was made a cell of St Albans Abbey. The present church retains a probably C12 nave from the Benedictine Priory Church and a probably C14 chancel, the latter ruinous after the Dissolution but still retaining an external niche with ball flower ornament datable possibly to the episcopacy of Bishop Gower (1327-38). South porch, south chapel beneath tower, north chapel formerly with gallery and remains of conventual buildings to north of nave. Stone walls; roofs with slate cladding. Nave with pointed barrel vaulted roof with plastered cladding. Memorials, eg to Owens of Orierton, including C17 memorial to John Owen against blocked North chapel; tomb of Sir Francis Meyricke, died in 1603, in south chapel; tomb of circa 1500 with indents for brasses on north chancel wall. Scheme for nave restoration of 1880s by John Prichard of Llandaff; front partly by Clarke of Llandaff; scheme for chancel restoration of late C19 to 1907 by Mr Parry Moses of Cardiff.

See Archaeological Cambrensis, Cam, 1852, 181; 1882, p 316; 1909, p 165; Programme notes of 123rd Annual Meeting. See also Harris and Co, "Visitors' Guide to Pembroke and Neighbourhood", 1891.

Authority	Pembrokeshire	Record No	6310
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19000 200000
		Grade	II
Name	PRIORY LIME KILN AT PILL FARM, ADAMS ROAD, MONKTON		

Exterior

C18 to earlier C19. Stone structure with semi-circular face to west, with segmentally arched recess with splayed sides at ground level on north and south sides.

Authority	Pembrokeshire	Record No	6549
		Date Listed	07/06/1988
Community	Pembroke		
Locality		Grid Ref	19860 201400
		Grade	II
Name	TELEPHONE CALL-BOX OUTSIDE GARDEN WALL OF HAMILTON HOUSE & MELBOURNE HOUSE, MAIN STREET		

Authority	Pembrokeshire	Record No	6550
		Date Listed	07/06/1988
Community	Pembroke		
Locality		Grid Ref	19850 201500
		Grade	II
Name	TELEPHONE CALL-BOX (K6 TYPE) OUTSIDE TOWN HALL, MAIN STREET		

Authority	Pembrokeshire	Record No	6552
		Date Listed	18/08/1989
Community	Pembroke		
Locality		Grid Ref	19830 201400
		Grade	II
Name	THE CLOCK TOWER BUILDING, MAIN STREET, INCLUDING FORGE PROMOTING PEMBROKE AND PEMBROKE REDWING TRAVEL		

Authority	Pembrokeshire	Record No	6039
Community	Pembroke	Date Listed	02/10/1951
Locality		Grid Ref	
		Grade	II
Name	PRIORY RUINS,MONKTON		

Authority	Pembrokeshire	Record No	6040
		Date Listed	02/10/1951
Community	Pembroke		
Locality		Grid Ref	
		Grade	II
Name	OLD CORN MILL, THE QUAY		

Exterior

Mill on this site from early times. Present building appears to be C.18 - early C.19, but was reconstructed after a fire in late C.19. No longer in use as a mill.

Authority	Pembrokeshire	Record No	6406
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FRONT GARDEN WALL & RAILINGS TO NO.84 MAIN STREET		

Exterior

Dwarf garden wall of three courses of rusticated stone. Later C19 iron railings comprising intersecting oval panels with crowning finials; they return to house on west side of passage. Slate paths to house and passage doors. Modern railings on west boundary.

Authority	Pembrokeshire	Record No	6407
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II

Name **NOS.86 (TENBY HOUSE) AND NO.88 MAIN STREET, INCLUDING FORECOURTS AND C19 WALLS AND RAILINGS**

Exterior

Early C19. Semi-detached pair with stuccoed cladding and common parapet with cornice. Three storeys and cellar. Front elevations of two bays each with doorways to right hand. Sash windows without glazing bars except for ground floor window four panes wide to No. 88. In No. 86, a flight of six steps leads up to portico porch with entablature with modillions and glazed side walls; to rear, doorway with architrave surround, panelled reveals, overlight inscribed "Tenby House" and C19 four panelled door, the top two panels rounded. In No. 88, a flight of three stone and slate steps and one modern step leads up to rebuilt or partly rebuilt portico porch; rear doorway has architrave surround, panelled reveals, overlight with tracery and six panelled door, the top panels shaped and raised and fielded.

Inside, No. 86 has extensive contemporary wine cellars, which are thought to include a lock-up; slate floors. Contemporary staircase with straight balusters; panelled doors. Ground floor has been altered. Interior of No. 88 not inspected.

Stone flagged forecourts enclosed by C19 dwarf walls and railings. Iron railings comprise chamfered uprights rising in pairs to form pointed arches. Gates of similar design have uprights rising alternatively above top and lock rails, with pointed arches below the top rail. Slate forecourt to passage between Nos. 84 and 86. Modern rendered wall to right hand in No. 88 of no interest.

Authority	Pembrokeshire	Record No	6343
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.2 EAST BACK		

Exterior

Early to mid C19. Two storey house with pebbledash cladding with cement rendered plinth and door and window openings; modillion eaves cornice and slate gables roof with new red brick stack to left hand. Sash windows three panes wide with fancy surrounds. Two steps with slate treads to semi-circular doorway with keystone, fanlight with sunburst tracery and six panelled door with reeded panels below and shaped and raised panels above.

Authority	Pembrokeshire	Record No	6355
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19600 203000
		Grade	II
Name	NO.1 HAMILTON TERRACE (HAMILTON HOUSE) WITH MELBOURNE HOUSE (EAST BACK)		

Exterior

Hamilton House was erroneously marked by OS on OS 1:2500 map published in 1967 and was also erroneously described as Melbourne Cottage in previous statutory instrument.

Early to mid C19. Hamilton House and Melbourne house comprise two two-storey semi-detached houses, whose garden elevations form a single composition with shallow central projection with pediment above niche at garden level with bust on fluted pedestal. Four bay front, two to central projection with steps to ground floor windows, and one bay to each end. Sash windows four panes wide.

Staircase windows and entrances in side elevations. C20 alteration to Hamilton House entrance. Entrance to Melbourne House via flight of stone steps to six-panelled door with fanlight with tracery; late C19 or later half-glazed porch with contemporary tile floor.

Inside Hamilton House, elliptical staircase with straight balusters from first floor upwards; fireplace and semi-elliptical arch to south first floor room; six moulded panelled doors; fireplace with shouldered architrave on second floor. Interior of Melbourne House not inspected.

In the gardens on the west is the Pembroke elm tree; the gardens are enclosed by stone retaining walls.

Melbourne Cottage is a small service cottage in East Back, adjoining the east end of Melbourne House and is not of special interest.

Authority	Pembrokeshire	Record No	6344
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	WESLEYAN METHODIST CHURCH,EAST BACK		

Exterior

Mid C19. Semi-classical building with cement-rendered cladding with ashlar dressings. Three bay front elevation with wide flight of steps leading up to giant Corinthian tetrastyle portico in antis, the base of the pediment rising into the tympanum over semi-circular three-light Gothic window, the window in turn set above segmental arch to double doorway. A narrow, round-headed two-light window above and below in each flanking bay. Side elevations with cement rendered cladding, mock machicolation, round-headed windows to top floor and segmental windows below.

An important landmark in the old town, closing the vista westwards in the east section of Main Street.

Authority	Pembrokeshire	Record No	6345
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II

Name **FORECOURT WALL,RAILINGS,GATES & GATE PIERS TO THE FRONT AND E.END OF SIDE ELEVATIONS OF THE METHODIS**

Exterior

Late C19 and probably contemporary with the Church. Forecourt wall of stone is snecked courses with ashlar coping. Iron railings with panelling at top and bottom. Wall and railings of front elevation extend as far as gate piers before entrances at east end of each side elevation. Centre gates of front elevation have side and centre gate piers of ashlar with coping in form of cusped segmental pediments. Ornate cast iron gates by a London firm; lock rail, panelled top rail and panelling between lock and bottom rails.

Wall and railings continue as far as west end of each side elevation.

Authority	Pembrokeshire	Record No	6408
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	CHURCH OF ST.MICHAEL,MAIN STREET		

Exterior

The plain mediaeval church of "Norman architecture" with "stunted tower" (Fenton) was nearly all rebuilt in 1835, its windows replaced by sash windows; rebuilt again in 1887 to the design of E H Linden Barker of Hereford. Of the mediaeval building, part of north wall and base of tower remain, south wall possibly dating from 1835. Stone walls, the north and west walls cement rendered; slate roofs. Nave, south aisle, chancel, North east vestry and South east tower.

From west, south aisle wall with single light window with quatrefoil, porch, similar single light window, and two similar two-light windows; north nave wall with similar two- light windows. West end windows of two lights with hexafoils. Three light east chancel window with stained glass representation of the Last Supper by Cox and London. Late C19 porch at west side of tower. Base of tower projects forward with large centre arch and flanking buttresses, recessed doorway with former entrance blocked internally in later C19. Middle section of tower with cement rendered cladding and two light square headed window with dripstone. Crowning section of tower of dressed stone with pointed three light window and castellated parapet.

Internally, four bay arcade to nave and aisle with Bath stone arches and columns; late C19 timber roofs; late C19 tripartite wrought iron chancel screen and encaustic tile chancel paving; early C19 stone paving at east end of nave. Some earlier C19 memorials, eg to Canon Charles Philips, who died in 1855.

R Fenton, "Historical Tour through Pembrokeshire", Brecon, ed, 1903

Harris & Co., "Visitors' Guide to Pembroke and Neighbourhood", 1891.

Authority	Pembrokeshire	Record No	6409
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NOS.106 & 108 MAIN STREET		

Exterior

Early to mid C19. Semi-detached pair of three storey houses with pebbledash cladding brick dentil eaves cornice and slate gabled roof with central and red brick flanking stacks. One inner window bay and outer doorway each. Sash windows three panes wide with paired sashes on second floor and with ground floor windows closer to centre. Semi-circular doorways. Doorway to No. 106 has doorcase with pediment with dentils on consoles, fluted band at impost level, panelled reveals, fanlight with tracery and six-panelled door. No. 108 has narrow cill bands and fancy surrounds to openings; doorway with plain fanlight and six panelled door; early C20 rectangular bay window with stained glass on first floor.

Inside, both with six-panelled doors and staircases with straight balusters and open scroll strings.

Authority	Pembrokeshire	Record No	6410
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FORECOURT WALL, RAILINGS & GATES TO NOS.106& 108 MAIN STREET		

Exterior

Early to mid C19; similar to those in Picton Terrace, Carmarthen. Stone dwarf walls. Iron railings with square uprights with scrolled and spiked finials. Walls and railings return to houses at east boundary lines. Slate paths to doorways. Gates of similar design to railings.

Authority	Pembrokeshire	Record No	6411
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.120 MAIN STREET		

Exterior

Early to mid C19. Three storey house with cemented cladding, moulded cornice with plain parapet and flanking stacks. Four bays. Sash windows without glazing bars, ground floor and first floor windows with stuccoed cornices on brackets and with shorter windows on second floor. Doorway with pediment on consoles in third bay from left hand; six panelled door with overlight. Interior has been renovated but retain contemporary staircase with straight balusters,

Authority	Pembrokeshire	Record No	6412
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FORECOURT WALL, RAILINGS & GATE TO NO.120 MAIN STREET		

Exterior

Early to mid C19. Painted stone dwarf wall; iron railings have square uprights with spear-headed finials; gate of similar design; standards with urn finials. Returns to house at each end.

Authority	Pembrokeshire	Record No	6398
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FRONT GARDEN WALL & GATES TO NO.113 MAIN STREET		

Exterior

Front garden wall with pebbledash cladding and stone coping. C19 iron railings with spear-headed finials; wall and railings return to house on east side. Panelled iron gate posts with Gothic tracery to centre gate which has uprights rising above top rail. Taller gate to right hand before passageway. Railings and gate posts are in decay and probably have been long in this condition, although they are still of interest in the vicinity of the house and of No. 111.

Authority	Pembrokeshire	Record No	6397
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.113 MAIN STREET		

Exterior

Early C19. House of three storeys and cellar with painted pebbledash cladding, dentil eaves cornice, stone gabled roof with modern red brick stack to left hand. Sash windows three panes wide in plan reveals with shorter windows on second floor. In centre, flight of seven steps with stone treads flanked by iron railings leads to doorway with half-columns, entablature and six fielded-panelled door with plain overlight. At right hand end, ledged door to cellar.

Inside, narrow C19 staircase with straight balusters and moulded handrail; six fielded panelled doors with some irregularities, one with inscription of 1770, or 1780's. Slate-hung rear elevation with very tall staircase window three paned wide.

Included on account of front elevation.

Authority	Pembrokeshire	Record No	6395
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II*
Name	NO.111 MAIN STREET		

Exterior

Early to mid C18. A house of three storeys and cellar with painted pebbledash cladding, dentil eaves cornice and slate gabled roof with red brick flanking stacks, the right hand stack built up. Sash windows four panes wide. In centre, four steps with brick and stone risers and stone treads lead to prostyle porch with columns and entablature; doorway with moulded architrave and six panelled door with lion knocker and overhead.

Inside, hall with C18 panelling, cornice and fireplace; semi-circular arch with fanlight with radiating tracery and two half-glazed doors and a further semi-circular arch with intermediate panelling and cornice lead to imposing C18 staircase with panelling, open string and three twisted balusters to each tread. Moulded plaster ceiling to stair well with oval plaster panel of C17 to early C18 style. C18 servants' stair with connecting doors at landing; three panelled doors on first floor landing. Grade II* on account of internal panelling.

Authority	Pembrokeshire	Record No	6396
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FRONT GARDEN WALL & NW.PIER TO NO.111 AND PENNY POSTAGE STAMP MACHINE,MAIN STREET		

Exterior

Front garden wall of stone with pebbledash cladding; C19 iron railings with spear leaded finials; both wall and railings return to house at east end. In centre, narrow panelled iron gate posts with Gothic panelling and with finials, left hand finial missing; gate also missing. The railings and gate posts are in decay, although they are of special interest in the vicinity of the house. Massive north west pier of stone with pyramidal ashlar coping is connected to the house by a wall of stone; a Penny Postage stamp machine is embedded in the front wall of the pier.

Authority	Pembrokeshire	Record No	6394
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.105 MAIN STREET		

Exterior

C19 three storey house with stuccoed cladding and slate gabled roof with rendered stack to left hand. Two bays. Ground floor with large modern shop front. Sash windows without glazing bars on first floor, left hand window with fielded panelled shutters internally. Square windows on second floor. Simple wood staircase in Chinese Chippendale manner as in no 103; facade has been altered and house is included on account of stylistic interest of staircase only and as part of a group of buildings.

Authority	Pembrokeshire	Record No	6393
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.103 MAIN STREET		

Exterior

C19. Formerly two houses which now (1977) form one property; the lower North-west house of two storeys only and of roughly three bays, the South-west house of three storeys, two bays and both with stuccoed cladding and slate gabled roofs. The North-west house with ledged vehicular doors to right hand, adjacent to single ledge door, triple sash in middle bay and, to left hand, doorway with engaged half columns, entablature, three-panelled door and rectangular overlight. Triple sash in middle first floor bay and single sash window to right hand. Inside, right hand front ground floor room with cornice, rear left hand room with fielded panelled shutters and panelled door.

South-east house has triple sash window to right hand on ground floor; to left hand, plain doorway with four flush panelled door and rectangular overlight with modern frosted glass. Sash windows without glazing bars to first floor and square windows to second floor. Inside, plain staircase in Chinese Chippendale manner, as in Royal George PH, Dark Lane and etc. Included on account of staircase and as part of a group including nos 95 to 101 and Wesleyan Methodist Church.

Authority	Pembrokeshire	Record No	6392
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.101 MAIN STREET		

Exterior

Late C18 to early C19. In course of renovation in July 1977. Three storeys. Three bays. New asbestos slate roof. Brick flanking stacks with dentils. Pebbledash cladding. Cement rendered cill bands and fancy architraves. On ground floor to right hand, plate glass window in original opening; former shop window to left hand. Semi-circular doorway in centre with pediment on consoles, fluted impost band, plain fanlight and six-panelled door. Sash windows four panes wide on first floor. Glazing missing from second floor windows. Inside, C18 staircase from ground floor to attic landing with straight balusters. First floor partition walls have been gutted.

Authority	Pembrokeshire	Record No	6391
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.99 MAIN STREET (WILN HOUSE)		

Exterior

Early C19 external appearance but thought to date from late 1760s. Three storeys and cellar. Two window bays. Slate roof with red brick stack near verge of right hand hip. Dentil eaves cornice. Stuccoed cladding. Window openings with chamfered architraves. Cellar opening. Semi-circular doorway to left hand with pediment on consoles, fluted band at impost level early C19 fanlight with tracery and six-panelled door. Sash windows, four panes wide on ground floor and three panes wide on first and second floors.

Inside, narrow plain C19 staircase with straight balusters; six-panelled door to front ground floor room; semi-circular window with intersecting tracery in rear sun-lounge; fanlight in hall with early C19 intersecting tracery.

Authority	Pembrokeshire	Record No	6390
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.97 MAIN STREET		

Exterior

Early to mid C19. Two storeys and cellar. Three bays. Slate gabled roof with red tile cresting, lower ridge than no 95. Rendered stack. Pebbledash cladding. Sash windows three panes wide with blocked centre first floor window. Central semi-circular doorway with panelled reveals, fanlight with tracery and six-panelled door.

Authority	Pembrokeshire	Record No	6389
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.95 MAIN STREET		

Exterior

Early to mid C19. Two storeys. One window bay and doorway. Slate gabled roof with red ridge tiles. Pebbledash cladding. Plinth. Sash windows to left hand, three panes wide with fancy surrounds and modern pebbledash keystones. To right hand, semi-circular doorway with similar keystone, plain reveals, painted fanlight with fan tracery, modillion course at impost level and six-panelled door with the top two panels glazed.

Authority	Pembrokeshire	Record No	6387
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	TABERNACLE CONGREGATIONAL CHURCH, MAIN STREET		

Exterior

1867. Stone Congregational Church, in Gothic style externally. Gable end facade with coping to gable, pair of shallow gabled porches on ground floor and, above, a large window of C14 style. Narrow flanking projecting towers with buttresses, the west tower with saddleback roof, the east tower terminating in a small spire, which is nevertheless a prominent feature of the town's skyline when viewed from the south. Ribbon plaque above centre with inscription "1811 Tabernacle 1867".

The Chapel is important for its prominence in the view of the town from the south.

Authority	Pembrokeshire	Record No	6388
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FORECOURT GATES & GATE STANDARDS TO TABERNACLE CONGREGATIONAL CHURCH, MAIN STREET		

Exterior

Probably circa 1867. Panelled iron gate standards, with cusped heads to panels and with ornate finials. Each gate of pointed cusped arched with fleur-de-lys; quatrefoil panelling in lock and bottom rails; ornate finials.

Authority	Pembrokeshire	Record No	6386
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	OUTBUILDING ADJOINING SE.END OF NO.91 MAIN STREET		

Exterior

C18 to C19. Two storey outbuilding with wide street elevation with pebbledash cladding and asbestos slate gabled roof. On ground floor, from right hand, half glazed four panelled door, diagonally boarded vehicular doors, sash window and pair of ledged vehicular doors. Four openings to loft, three square with metal grilles and one with boarded door to left hand. Included for its group value nos 87 to 91 (odd nos) no 1 Hamilton Terrace and Melbourne House, East Back.

Authority	Pembrokeshire	Record No	6385
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	NOS.89/91 MAIN STREET		

Exterior

No 91 has undergone change of use from Amberley Hotel to a veterinary surgery since Provisional list of 1950.

Late C18 to early C19. House of three storeys and cellar faced in stucco and with plain parapet and plinth. Six bays.

No 89 has frontage of four bays. On ground floor from right hand, sash window four panes wide, out of alignment with upper floor windows; doorway in third bay with three-quarter ionic columns and entablature, six panelled door with knocker, the upper four panels fielded; footscrapers. Sash window four panes wide in fourth bay. On first and second floors, sash windows three panes wide, with smaller windows on the second floor, including one fixed window. Full-height bow window in rear elevation. Interior not inspected.

No 91 has frontage of two bays. On ground floor, from right hand, ledged door and sash window three panes wide, both to right hand of upper floor openings which have sash windows three panes wide.

Authority	Pembrokeshire	Record No	6384
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.87 MAIN STREET		

Exterior

Early C19. Terraced house of three storeys and cellar with stuccoed cladding and slate gabled roof with new red brick stack to right hand. Three bays. On ground floor, central semi-circular doorway with frosted glass fanlight and later four-panelled door; flanking sash windows four panes wide. Sash windows three panes wide on first and second floors, of smaller size on latter. Inside, elliptical C19 staircase with straight balusters, six-panelled door; C19 fireplace in front, right hand ground floor room. Upper floor not inspected.

Authority	Pembrokeshire	Record No	6383
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FORMER NATIONAL SCHOOL, MAIN STREET		

Exterior

1861. Gable end to street with roughcast cladding and stuccoed dressings, including coping to gable itself and its crowning corbelled bellcote with missing bell. Central four-centred doorway with ledged door with hinges with inset plaque with stringcourse also rising over the flanking square-headed windows, each of two lancet lights. Single flat headed light to gable.

Authority	Pembrokeshire	Record No	6381
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.69 MAIN STREET (YORK TAVERN P.H.)		

Exterior

C18 to early C19. Inn of two storeys and cellar with pebbledash cladding with stuccoed quoins and fancy door and window surrounds; asbestos slate gabled roof with low rendered stack. Two window bays and two doorways (one blocked). On ground floor, from left hand, bowed C19 shop window five panes wide and four deep with dentil cornice; blocked doorway; sash window without glazing bars; modern door to right hand. On first floor, two sash windows without glazing bars. Two rough beams with stops and chamfers in front ground floor rooms. Included on account of bowed window only.

Authority	Pembrokeshire	Record No	6382
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	THE OLD CHAPEL IN THE GROUNDS OF THE YORK TAVERN, MAIN		

Exterior

High two-storey stone structure of possibly medieval origin. South elevation has battered base and steps to four-centred centre doorway; two rectangular window openings above. Inside, south ground floor chamber with plain stone barred vaulted roof; slate floor; segmental opening with splayed reveals in east wall; fireplace and blocked rectangular opening in west wall; in north wall, segmental arch of stone leads to further, north, chamber with flat boarded roof. Known as the Old Chapel. John Wesley preached here on visits to Pembroke in 1760s.

See RCAHM, "Houses of the Welsh Countryside", 1975, Index no 11 and, eg Harris and Co. "Visitors' Guide to Pembroke and Neighbourhood, " 1891.

Authority	Pembrokeshire	Record No	6380
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NOS.57/59 MAIN STREET (PICTON HOUSE)		

Exterior

Early C19, partly rebuilt in 1869. Pair of terraced houses of two storeys and cellar with same eaves, ridge and plinth lines, no 57 with asbestos slate roof and rough plastered front and no 59 stuccoed. No 57: on ground floor, from left hand half glazed house door and C19 shop front with pilasters, fascia and cornice and contemporary half-glazed panelled door; iron grille in stall riser. On first floor, three sash windows three panes wide.

No 59: on ground floor from right hand, late C19 bowed plate glass shop window, modern glazed shop door and four panelled house door with rectangular overlight, all three with common cornice and fascia; modern transomed window to left hand. On first floor, five sash windows without glazing bars; two sash dormers with sloping roofs over.

Inside No 59, six panelled door, partly boarded, to left hand on ground floor; wooden staircase in Chinese Chippendale style as in Royal George PH, Dark Lane. There is said to be a similar staircase in no 57 but interior not inspected; No 57 included partly for shopfront.

Central massive rectangular stack on verge of rear pitch of main roof.

Authority	Pembrokeshire	Record No	6379
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.39 MAIN STREET		

Exterior

Early C19. Three storey house with passage through ground floor, stuccoed cladding and gabled roof with bitumastic finish and painted brick flanking stacks. On ground floor, from left hand, sash window with glazing bars; secondly, doorway with three-quarter columns, frieze with paterae, rectangular overlight with fan tracery and six-panelled door. To right hand, shop front with pilasters, fascia and cornice, now with passage through. Sash windows three panes wide on first floor, including those in canted bay window to right hand. Smaller sash windows with glazing bars on second floor. Inside, small staircase with straight balusters. Included on account of doorcase only. Modern rear wings are not of special interest.

Authority	Pembrokeshire	Record No	6378
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.29 MAIN STREET		

Exterior

Late C18 to early C19. Three storey house with ground floor shops, stuccoed cladding, dentil eaves cornice, and slate gabled roof with painted stack to right hand. Three window bays. On ground floor, from left hand, modern multi-paned glazed door; late C18 to C19 bow shop window seven panes wide and four deep in casing of pilasters, fascia and cornice, under left hand upper windows; thirdly, in centre, stuccoed doorway with moulded architrave and cornice on consoles; fourthly, C20 bow fronted shop window four panes wide and four deep. Sash windows without glazing bars in shaped architraves to upper floors. Interior of upper floors not inspected.

Authority	Pembrokeshire	Record No	6377
		Date Listed	03/06/1964
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	THE TOWN HALL, MAIN STREET		

Exterior

Early C19; described in 1833 as "a plain modern building....and underneath it....a commodious area for the corn market." Two storey structure, the ground floor faced with stone in regular courses, with band at first floor level and with first floor stuccoed; slate gabled roof with central vent. Five bays. On ground floor, five round-headed arches, three converted to windows and with centre and left hand arches converted to doorways. On first floor, four sash windows, all with keystones, one three panes wide at left hand end and three sash windows five panes wide in the centre bays. Also on first floor, plaque with Borough Arms erected in 1887.

Later C19 market hall wings to the rear are important in the view of the walled town from the south.

S.Lewis, "A Topographical Dictionary of Wales, "1833.

Authority	Pembrokeshire	Record No	6376
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.13 MAIN STREET (KING'S ARMS P.H.)		

Exterior

Late C18 to early C19 front wing of Inn of three storeys and cellar with roughcast cladding and cemented slate gabled roof with brick flanking stacks, the left hand stack renewed. Four window bays. On ground floor, from left hand, firstly, large sash window four panes wide, secondly doorway with rectangular overlight and pair of doors, each of three panels; thirdly, window of two-lights with small panes, columned mullions and shaped heads; fourthly, blocked passageway with window. On upper floors, sash windows without glazing bars, smaller on second floor; in second first floor bay from left hand, canted bay window. Inside, wooden staircase in Chinese Chippendale style. Short rear wing with narrow gabled roof with exposed rafters internally. Long range of attached rear wings to south again which date from C18 or C19 but which have been renovated in late C20 and are no longer of special interest. Vaulted cellar to South-west.

Authority	Pembrokeshire	Record No	6375
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	NOS.11 & 11A MAIN STREET (WILLING HOUSE)		

Exterior

C18 or earlier. Terraced building of two storeys and attic with roughcast cladding and slate or slate asbestos gabled roof with two roof lights; projection at right hand end with small separate hipped roof. Four window front. On ground floor, firstly, plate glass windows in two storey right hand projection; secondly, flat-arched entrance to arcade of shops; thirdly, projecting shop front with fascia, modillion cornice, Ionic pilasters and centre doorway with scroll consoles. On first floor, nine-light window in right hand projection and three sash windows, two panes wide, three panes wide and without glazing bars in the remaining openings. Ceiling beams in east front ground floor shop. Staircase and first floor of front wing not inspected. Former vault filled in 2nd Word Ward (See RCAHM), "Houses of the Welsh Countryside," 1975, Index No 11).

Authority	Pembrokeshire	Record No	6374
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.9 MAIN STREET		

Exterior

Early to mid C19. Three storey building with pebbledash cladding and slate gabled roof with flanking stacks, the left hand one modern. On ground floor from left hand, three panelled door with deep rectangular light. Attractive double fronted C19 shop front with entablature and stuccoed stall risers; three shop windows, two flat bows and with three-quarter columns flanking modern glazed door with overlight with gold lettered inscription: "Chemist/Establ. 1825". Sash windows three panes wide on first and second floors, with four to both floors. Interior not inspected.

Authority	Pembrokeshire	Record No	6373
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	THE LION HOTEL, MAIN STREET		

Exterior

Westgate House, formerly a separate dwelling and a separate Grade III item (2/28), subsequently became part of the Lion Hotel and is included in the present item of that name.

The Lion Hotel comprises three three storey C19 houses with slate gabled roofs with flanking stacks and sash windows without glazing bars. Former Westgate House at west end of five bays. Stuccoed, the ground floor rusticated with steps up to centre doorway with plain overlight and three panelled door with the top two panels rounded, the flanking windows with scroll iron guards. First floor centre window with architrave with pilasters and cornice and C19 iron balcony with ornate and curving balustrade. Second floor windows segmentally headed and shouldered surround to centre window.

Centre house with lower eaves and ridge. Pebbledash cladding with fancy stuccoed window architraves and with square windows on second floor; two steps to doorway in second bay from right hand with flat canopy on brackets, moulded architrave and plain overlight over modern door.

The east building of three bays with higher ridge and eaves than centre portion. Modillion eaves cornice. Pebbledash cladding with shaped stuccoed architraves with keystones. On ground floor, in second bay from right hand, round arched prostyle porch with balcony over with C19 iron balustrade, flanked by segmental sash window to each side and at left hand end by vehicular entry with stuccoed voussoirs. On first floor, balcony in front of rectangular bay window surmounted by the statue of gold painted lion; segmental sash window to each side.

Inside, a few fielded panelled doors, window shutters, staircase with straight balusters; the plan of the upper floors is comparatively little altered.

Rear elevations and wings are of importance in the view of the walled town from the south. The front elevation of the east wing is the dominant feature in the approach to Pembroke across the Mill Bridge, but the three front facades are also of considerable importance for their group value at the west end of Main Street.

Authority	Pembrokeshire	Record No	6313
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.4 CASTLE TERRACE		

Exterior

Mid C19 house with probably medieval undercroft (RCAHM, House of the Welsh countryside, 1975, p 373).

Pebbledash cladding with large dentil eaves and slate gables roof with rendered stack to right hand. Three storeys and cellar. Two bays modern opening to cellar to right hand. On ground floor, late C19 to early C20 bay window to right hand; to left hand, five stone to doorway with fanlight with tracery and door.

Inside, six fielded panelled door in entrance hall; C19 staircase with twisted balusters in C18 style. Cellar to north with two vaulted chambers and four-centered doorway in west wall; vaulted passage; southern part of cellar with flat ceiling with beams and joists and with wood diamond mullioned window in west wall. Included on account of cellar.

Authority	Pembrokeshire	Record No	6464
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	CROMWELL BREWERY AND NO.1 WESTGATE HILL (CROMWELL		

Exterior

Mid C19; both said to have been built out of the ruins of the old custom houses by Robert George, Mayor of Pembroke in 1881 to 82.

Cromwell Brewery: cement rendered cladding with quoins and plinth and slate gabled roof. Three storeys. Six bays. Sash windows without glazing bars. On ground floor, doorways with steps from street in second and fifth bays from east, four windows and high entrance with pilasters, entablature and ledged gates in sixth bay. Rear wings partly with pebbledash cladding. Inside, slate floor to front range; some brewery equipment in rear wings.

Cromwell House has cement rendered cladding with stringcourses at cill levels, pilasters, to upper floors and slate gabled roof with red brick flanking stacks. Three storeys. Four bays. Sash windows without glazing bars. Ground floor windows have dripstones; doorway in third bay from left hand with triangular stuccoed pediment on consoles, rectangular overlight and panelled door. Upper floor windows with moulded architraves. Inside, staircase with straight balusters and open scroll string; six fielded panelled doors, window shutters, C19 fireplaces, four fielded panelled doors to attic.

Both Cromwell Brewery and House included only on account of the interest of their facades in the group which extends east as far as the King's Arms in Main Street, with the Castle closing the vista to the west; internal features of Cromwell House of some interest; rear wings prominent in view of walled town from south.

G Mason, "Pembroke Dock, Royal Dockyard and Neighbourhood; an historical sketch", circa 1905, p 105.

Authority	Pembrokeshire	Record No	6465
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.3 WESTGATE HILL		

Exterior

Mid C19 front elevation to possibly medieval rear construction. House with front wing of three storeys and cellar with cement rendered cladding, pilasters, modillion cornice and slate gabled roof with red brick stack to right hand. Two bay front with sash windows without glazing bars and with moulded architraves. On ground floor, doorway to right hand with panelled pilasters, entablature with cornice on consoles, panelled reveals, overlight and six panelled door with the top four panels raised and fielded. Lower rear wing of two storeys and attic, with gabled dormer with horizontally sliding casement. Early vaulted chamber in use as kitchen circa thirty feet to rear of street front; not inspected on re-survey (owner not available) but featured in RCAHM records and in RCAHM, "Houses of the Welsh Countryside", 1975, p373. Included on account of rear vaulted chamber.

Authority	Pembrokeshire	Record No	6466
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.6 WESTGATE HILL (THE VICARAGE)		

Exterior

C18 house with front elevation altered in C19 and set on a rock embankment above street level. Three storeys with cement rendered cladding, moulded eaves cornice and slate gabled roof. Three bays. On Ground floor, central doorway with panelled architrave and coved cornice on consoles; six-panelled door. A canted bay window with sash windows without glazing bars to each side. On upper floors, sash windows with glazing bars, the second floor windows smaller. Inside, C18 staircase with turned balusters, columnar newels and panelled dado; dado panelling also to front first floor room.

Authority	Pembrokeshire	Record No	6467
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.8 WESTGATE HILL		

Exterior

House of medieval origin which was in ruin in C19 and was renovated in mid C20. Stone rubble walls with corbelling at first floor level at right hand end; slate gabled roof; two storeys rising from a rock platform with steps rising laterally from street to entrance. Roughly four window bay front with modern lattice casements. >From left hand, a casement above and below, secondly a two-light casement to ground floor room but an intermediate level, thirdly, a casement to first floor above a pointed chamfered doorway and fourthly, below corbelling, a high segmental arch to former passageway to Parade, which has been filled in and has a stepped window of three-lights.

Authority	Pembrokeshire	Record No	6468
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II*
Name	NO.9 WESTGATE HILL		

Exterior

Formerly part of a Grade III item with nos 9 and 11.

House of medieval origin with stone rubble walls and slate roofs, with stone stack to right hand. Two storeys with cellar. Irregular front elevation of three bays with blocked chamfered arch to undercroft with small inset casement window at right hand end, with corbelling above at ground floor level, and with two-light casement above this again and with gable over. Second ground floor bay from right hand has projection with slate half-hipped roof, with window in both side and front walls; thirdly a doorway with slate canopy with a casement window above it to first floor. Rear elevation has vertical slit window to first floor, and, to east, a Flemish chimney comprising rectangular chimney projection with circular chimney stack.

Inside, stone steps against South wall descend to segmentally arched undercroft with stone walls and roof and with iron rings in wall, the last apparently dating from later use of cellar as a lock-up.

Grade of II* on account of undercroft and of Flemish chimney in rear elevation.

Authority	Pembrokeshire	Record No	6469
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.10 WESTGATE HILL		

Exterior

Formerly part of a Grade III item with nos 9 and 11.

Two storey house possibly of medieval origin but of later external appearance; interior not inspected. Stone rubble walls with slate gabled roof descending to form pentice over projection at east end which has three-light modern casement to left hand and entrance with stone voussoir to right hand with flight of ten stone steps leading up to ledged entrance door to ground floor. To right hand, front wall of one window width with sash window two panes wide below and a sash window three panes wide above with C19 tall narrow brick stack on verge.

Authority	Pembrokeshire	Record No	6470
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.11 WESTGATE HILL		

Exterior

Formerly part of a Grade III item with nos 9 and 10.

No 11 comprises a two-storey house built on rock and built against part of the medieval town wall at its south-west end. Stone rubble walls, the front wall partly rendered, and slate gabled roof with same roofline as no 10 and with stack on south-west gable end. Three bay front elevation of C19 appearance; stone steps up to rock forecourt with stone rubble balustrade; ledged door flanked to left hand by sash window three panes wide and to right hand by a sash window without glazing bars. Sash windows with glazing bars on first floor, of two panes width to left hand and of three panes width in middle and to right hand. Part of jamb of medieval west gateway projects towards castle from town wall at south-west end. Internal features not inspected.

See also the Parade, North side.

Authority	Pembrokeshire	Record No	6430
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	GARDEN & IN PART FORMER TOWN WALL,EXTENDING FROM REAR OF NOS.6-11 WESTGATE HILL AND INCLUDING PART O		

Exterior

High stone rubble wall to rear of No 6 with rough stone boulders near base; ledged door in right hand part. Lower wall to south of rear gardens of nos 7 to 11 Westgate Hill; higher and incorporating medieval masonry including part of the jamb of Pembroke's former west gateway where the wall also comprises the south-west end wall of no 11 Westgate Hill's house.

Authority	Pembrokeshire	Record No	6431
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	SOUTH RETAINING WALLS TO THE PARADE		

Exterior

The Parade runs along the top of a rock outcrop above Common Road, rising from Common Road at a point roughly to rear of no 31 Main Street and continuing westwards as far as the Presbyterian Church, with a path descending to Common Road roughly at half-distance. Both east and west sections of the Parade are bounded on their south side by retaining walls of stone rubble; the west walls are much higher, are buttressed in places and are covered with plant growth on their south face. These walls are important in the view of the walled town from the south, and are included for that reason.

See forthcoming survey by Pembrokeshire Museums.

Authority	Pembrokeshire	Record No	6429
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	GARDEN WALLS TO REAR OF NOS.27-35 MAIN STREET		

Exterior

A high wall of stone rubble runs westwards from No. 35 Main Street, its masonry obscured by plant growth.

To west of a doorway with brick head to rear of No. 29 Main Street, the wall becomes progressively lower until, to the rear of No. 27 Main Street, it disappears above ground level. The South town and walls were probably much damaged in the siege of 1648. Many of the rear garden walls to properties on North and South sides of Main Street are thought either in some instances to incorporate the foundations of the mediaeval town walls or to be built in several places on their course. The garden walls to the rear of Nos. 27 to 35 Main Street are included here for their contribution to the conception of Pembroke as a walled town.

Authority	Pembrokeshire	Record No	6340
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	GARDEN WALLS TO REAR OF NOS.37-43 MAIN STREET, COMMON ROAD		

Exterior

High wall of stone rubble; masonry obscured by plant growth and further obscured on south side by a number of outbuildings, some of C18 to C19 but not a special interest, built against the rock base. The south town walls were probably much damaged in the siege of 1648. Many of the rear garden walls to properties on North and South sides of Main Street are though either in some instances to incorporate the foundations of the medieval town walls or to be built in several places on their course. The garden walls to rear of nos 37 to 43 Main Street are included here for their contribution to the conception of Pembroke as a walled town.

Authority	Pembrokeshire	Record No	6341
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.5 COMMON ROAD		

Exterior

Early to mid C19. Two storey cottage with plastered stone walls and slate gabled roof with flanking stacks, left hand one of stone. Two bay front. Sash windows with glazing bars. To right hand, cambered doorway with ledged door and overlight.

Authority	Pembrokeshire	Record No	6342
		Date Listed	06/09/1976
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	THE S. TOWN WALLS, INC. GAZEBO TO REAR OF NO. 111 COMMON ROAD (& EXC. S.A.M. TOWER TO REAR OF NO 99		

Exterior

The town walls, of probably late C12 to early C13 origin (see *Archaeologia Cambrensis*, 1981) are shown in Speed's map and in C17 French map (RCAHM) fig 234). Little of the medieval town walls appear to survive above ground but it is thought that many of the rear garden walls to properties on North and South sides of Main Street may either in some instances incorporate the foundations of the medieval walls or may be built in several places on their course. The section of the South Wales incorporate the foundations of the medieval walls or are built in several places on their course. The sections of the South Walls included here are also important in their contribution to the conception of Pembroke as a walled town.

A wall to east of no 5 Common Road and to south of no 87 Main Street is on a different alignment to walls further East.

To south of nos 89 and 91 Main Street, the course of the wall is incorporated in a C19 two storey outbuilding with stone rubble walls and corrugated iron roof, with three windows on the first floor and a stone doorway at left hand end; at this point, to the north, there are also separate stone terrace walls in the steep rear gardens of nos 89 and 91.

A plot of land to the east of the outbuilding described above is bounded on the south by a wall of stone rubble which has been restored but which is broken down in the centre for an opening.

A wall continues South-east from here, to south of Tabernacle Congregational Church where there are the remains of a lime kiln, comprising a semi-circular stone projection with recess on east and west sides.

The wall then immediately turns sharply south and east along the rear of no 93 Main Street. Garden walls to the rear of nos 95 and 97 Main Street are much reduced in height and incorporate two narrow entrances.

Garden wall to south of no 99 Main Street is more substantial and incorporates a doorway at its west end. Also here is one of the towers of the medieval town wall (Scheduled Ancient Monument).

To south of no 101 the wall is again broken down and there are also two modern garages.

There is more substantial walling extending east from rear of no 103 Main Street to rear of no 105; against the wall to rear of no 103, a lateral ramp leads up to a doorway; a further ramp against wall of no 105.

The walling drops considerably in height to rear of no 107 where there is a vehicular doorway with concrete lintel. A yellow brick passage entry to no 109 Main Street adjoins this.

The garden wall to rear of no 111 Main Street is much higher; a lateral ramp leads up to stone doorway at west end. Here too, a further Scheduled Ancient Monument, comprising the base of a medieval bastion. In a prominent situation upon it, there is a gazebo of C18 to C19, comprising a two storey octagon with stone rubble walls with quoins and pagoda roof of shaped slate tiles with ball finial. It formerly had a wooden eaves cornice of which only part is extant (1977). In North East, South and West facets, there are the remains of sash windows, 3 panes wide and four deep in the upper storey and, in West, South and East facets, shorter window openings with stone voussoirs to lower storey. To east of medieval bastion and later gazebo, a high wall of stone rubble continues as far as no 4 Rock Terrace.

Authority	Pembrokeshire	Record No	6428
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	OAK COTTAGE AND N.& E. WALLS OF GARDEN TO W., ORANGE WAY		

Exterior

C18 to C19. One storey cottage with pebbledash cladding and slate roof with brick flanking stacks. Two four-centred window openings and two-lights each; panelled door to similarly headed centre doorway.

High wall of stone rubble encloses garden to west of Oak Cottage on north and east sides. Doorway at west end.

Authority	Pembrokeshire	Record No	6433
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.9 PAYNTER STREET,ORANGE GARDENS		

Exterior

Mid C19. Nos 1 to 13 comprise a row of houses with single storey front elevations. No 9: stuccoed front with slated gabled roof with red brick stack to right hand. Chamfered openings. One slate step to central doorway with four panelled door and rectangular overlight; a sash window without glazing bars each side.

Authority	Pembrokeshire	Record No	6459
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	
		Grade	II
Name	NO.23 THOMAS STREET,ORANGE GARDENS		

Exterior

Mid C19. One of a row of houses with single storey front elevations facing a similar row on west side of Thomas Street. Stuccoed three bay front with asbestos slate gabled roof with rendered stone stack to left hand. Chamfered segmental openings; a slate step to central doorway with four panelled door, the upper two panels moulded and the lower two raised and fielded, with frosted glass overlight. A sash window without glazing bars to each side.

Authority	Pembrokeshire	Record No	6471
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.11 WILLIAMSON STREET,ORANGE GARDENS		

Exterior

Mid C19. One of a row of houses with single storey front elevations stepped uphill from each other. Cement rendered front of two windows and central doorway with slate gabled roof with stone stack to left hand. Sash windows with glazing bars. One slate step to four panelled door with overlight.

Authority	Pembrokeshire	Record No	6413
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.17 MANSEL STREET		

Exterior

Mid C19. One of a row of houses with single storey front elevations. Stuccoed front of two windows and central doorway with chamfered openings and with slate gabled roof with red brick stack to right hand. Sash windows without glazing bars; four panelled door and overlight. Front garden wall has been rebuilt, retaining one course of stone at base, the upper courses of red brick with painted coping; stone pier with benchmark at sound end. C19 railings with arrow headed finials and gate with similar finials.

Authority	Pembrokeshire	Record No	6472
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.13 WILLIAMSON STREET,ORANGE GARDENS		

Exterior

Mid C19. One of a row of houses with single storey front elevations, stepped uphill from each other. Rough plastered stone rubble front of two windows and central doorway with slate gabled roof with late C19 red brick stack to left hand. Sash windows three panes wide with horns. One step with slate thread to ledged door with overlight.

Authority	Pembrokeshire	Record No	6463
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.31 WEST STREET,ORANGE GARDENS		

Exterior

Mid C19. One of a row of houses with single storey front elevations and with front gardens enclosed by stone rubble walls. The bay front with modern cladding and slate gabled roof with stone flanking stacks. A sash window without glazing bars each side of central rectangular doorway with overlight and four moulded panelled door. Front garden wall of stone with pebbledash cladding, roughly embattled stone coping and centre gate piers with pyramidal coping. Two steps, one of slate, to C19 iron gate with uprights with stud finials rising alternately above middle and top rails.

Authority	Pembrokeshire	Record No	6336
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.3 CHURCH TERRACE,MONKTON		

Exterior

Early to mid C19 probably. Cottage of one storey and attic with pebbledash cladding and salted gabled roof descending lower to rear; stuccoed stone stack to right hand and altered red brick stack to left hand. A sash window each side of central doorway with modern door. Attic window in east gable end. Included as an example of the Pembroke houses with single storey fronts and also for its group value with Monkton Old Hall.

Authority	Pembrokeshire	Record No	6334
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.2 CHURCH TERRACE,MONKTON		

Exterior

C18 or earlier. Two storey semi-detached house, formerly one dwelling with no 1, with stone rubble walls and slate gabled roof; large square chimney projection with pebbledash cladding to west gable. Two bay front, the doorway to left hand with modern door with glazed panel and slate canopy on brackets, and a sash window three panes wide to right hand. On first floor, two square sashes, the left hand window glazing bars and the right hand window three panes wide. Two unchamfered ceiling beams inside, with the joists hidden. Included on account of chimney projection and on account of group value with Monkton Old Hall.

Authority	Pembrokeshire	Record No	6335
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FORECOURT RETAINING WALL TO NOS.1 & 2 CHURCH TERRACE, MONKTON		

Exterior

C18 to C19; possibly earlier. Nos 1 and 2 are built upon an outcrop of natural rock which is faced in front along the street with a high retaining wall of stone rubble.

Authority	Pembrokeshire	Record No	6337
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	FORECOURT RETAINING WALL TO NO.3 CHURCH		

Exterior

No 3 is built, like nos 1 and 2, upon an outcrop of natural rock which is faced along the street with a retaining wall of stone rubble, probably contemporary with the house.

Authority	Pembrokeshire	Record No	6332
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	I
Name	MONKTON OLD HALL, CHURCH TERRACE, MONKTON		

Exterior

C14 to C15. Later internal partitioning and early C19 repairs, eg to roof, and subsequent ruination, the whole building undergoing renewal in late C19; mid C20 restoration. Stone rubble walls and slate roofs. Roughly T-shaped medieval house with first floor hall and cross-parlour and kitchen wings. Hall on East-west axis above three bay undercroft with square diagonal ribs, the last extending under parlour wing. North wall of hall with west entrance and with lateral chimney projection with cylindrical Flemish stack; newel stair in thickness of wall, from undercroft. Shallow porch projection at South-east end with shallow segmental vault internally with corbelling externally at first floor level above tall pointed arch. Later North-east kitchen wing with vaulted undercroft with massive square chimney projection at north end and with two recess in the as wall which is supported externally by late C19 buttress. Late C19 North-west service wing of one storey and attic; line of a further medieval wing apparently visible here in C19.

Externally, hall undercroft lit on south by a wing in pointed arch to left hand. Hall lit on south by three mid C20 windows, the middle window formerly thought to be a doorway with steps up to it. (Arch. Camb, 1868). Staircase and entrance now in west side wall of South-east projection; window over. South elevation of projection with doorway to undercroft with windows and a blocked opening over, all set within a tall pointed arch with corbelling over, above which are two further windows and three stacks on the parapet.

Internally, tall arch at east end of hall with two inset window slits (RCAHM, HWC 29); C14 fireplace in South-east room.

Archaeologia Cambrensis eg 1968, 70; 1880, 248 and etc. Programme Notes for 123rd Annual Meeting of Cambrian Archaeological Association. RCAHM Houses of the Welsh Countryside, 1975, 28 and 29 etc.

Authority	Pembrokeshire	Record No	6333
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	S.RETAINING & GARDEN WALL TO MONKTON OLD HALL, CHURCH TERRACE,MONKTON		

Exterior

Monkton Old Hall is built upon a rock outcrop which is bounded on the south by a high retaining wall of stone rubble, extending east downhill as far as a pointed stone doorway. On west, wall rises uphill and above outcrop level, curving round to wide gateway with two C19 stone piers with pyramidal coping.

Authority	Pembrokeshire	Record No	6353
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19600 203000
		Grade	II
Name	SPRINGFIELD, THE GREEN		

Exterior

Early C19. House of two storeys and cellar with pebbledash cladding and slate gabled roofs, with flanking stacks to centre wing of three bays which is flanked by lower, narrower wings of two bays each. On ground floor, centre wing has seven steps, four of slate, with partly damaged cement rendered balustrades rising to central doorway with pilasters, entablature with ornamental frieze and dentil cornice and six-panelled door, the top four panels shaped and moulded and the bottom two fluted and with angle blocks; flanking sash windows without glazing bars. Sash windows three panes wide on first floor.

South-east wing has on ground floor a casement to right hand and a sash window three panes wide to left hand with similar small sash to left hand above with mock sash beside it.

North-west wing has sash window three panes wide to lower floor and two false sashes on first floor; North-west gable end is slate hung.

Inside, cellar with stone barrel vaulted roof and stone heads of early C19 style to openings; six-panelled doors on ground floor; plaster cornice in hall; C19 staircase with straight balusters.

Authority	Pembrokeshire	Record No	6354
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19600 203000
		Grade	II
Name	E. & S. GARDEN WALLS AT SPRINGFIELD, THE GREEN		

Exterior

Early C19, probably contemporary with the house. Garden to east of the house at Springfield is enclosed by stone rubble walls. The east garden wall curves round from the North-east entrance to Springfield, to run southwards as far as Rocky Park where it curves round to run westwards as far as the east wall of the east flanking wing of Springfield.

Authority	Pembrokeshire	Record No	6352
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19600 203000
		Grade	II
Name	WAREHOUSE OPPOSITE THE WATERMAN'S ARMS P.H., THE GREEN		

Exterior

C19 probably mid to late. Three storey warehouse with walls of squared stone of irregular size; toothed brick eaves cornice; roof partly of slate and partly of corrugated cladding. South elevation of five bays with openings with brick heads. On ground floor, windows and a central segmental doorway, the last with dressed stone head and ledged doors. East gable end has windows in left hand bay on all floors and doorways in right hand bay with brick segmentally headed doorway with brick dressings on ground floor. Rear elevation has blocked openings on second and first floors. Adjacent single storey wing to west and North-west wing to rear of this are not of special interest.

Authority	Pembrokeshire	Record No	6351
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19600 203000
		Grade	II
Name	NORTH QUAY,THE GREEN		

Exterior

The dominance of the port at Pembroke Bridge, both in the Milford Haven and in the old County of Pembroke, was established by C12 charters. Although outstripped by Haverfordwest and Milford Haven in late C18, Pembroke still reputedly had until a little while before then, nearly two hundred sailing ships based at its port and, until earlier C19, levied the customs of the Milford Haven.

The present north quay wall is faced with squared stone; to North-west of masonry join, the stone is laid in more regular courses. North-west end of quay is also faced with stone.

See also The Town Quay, Pembroke.

Authority	Pembrokeshire	Record No	6314
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	I
Name	PEMBROKE CASTLE,CASTLE TERRACE		

Exterior

Much of Pembroke Castle was built to the order of William Marshal in late C12 to early C13. Outer and inner wards with curtain walls with towers of coursed rubble, though most of the landward curtain wall and Horseshoe gate of the inner ward have gone. In the inner ward there are, firstly, the famous massive cylindrical keep, secondly the North-east great hall, above the natural cavern known as the Wogan and, thirdly, a single storey built to the orders of Williams De Valence (died 1296). The Castle was restored by J R Cobb, 1880-83, and from 1928 by Major General Sir Ivor Phillips.

Scheduled Ancient Monument, No 5.

See RCAHM, Pembrokeshire, 282; Archaeologia Cambrensis, 1883, 196, 264; Hamilton-Thompson, Military Architecture in England during the Middle Ages, 1912; Programme of Cambrian Archaeological Association's 123rd Annual Meeting and Archaeological Cambrensis 1978.

Authority	Pembrokeshire	Record No	6461
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	THE TOWN QUAY		

Exterior

The dominance of the port at Pembroke Bridge both in the Milford Haven and in the old county of Pembroke was established by C12 charters. Although outstripped by Haverfordwest and Milford Haven in late C18, Pembroke still reputedly had until a little while before then nearly two hundred sailing ships based at its port and, until earlier C19 levied the customs of the Milford Haven.

The present quay wall is of stone tubble, laid roughly in courses; stone parapet. Slipway at west end.

See also the North Quay, under The Green, Pembroke

Authority	Pembrokeshire	Record No	6424
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	MILL BRIDGE,NORTHGATE STREET		

Exterior

Shown in its present form, minus battlements, in the Bucks' North-west View of Pembroke, published 1748.

Causeway of stone across the former mill pond, retaining on its west side the projections for the foundations of the tidal mill, provision for which was first granted in 1199 and which, in its C19 form, was destroyed by fire in later C20. The two segmental arches for gates and weir remain, similar to those shown partly in the Bucks' print and partly in the Norris engraving of 1817. On the east side, the lower part of the bridge is faced to above the crown of the arches with dressed stone in regular courses; the parapet is slightly set back and is of stone rubble with flat coping.

Authority	Pembrokeshire	Record No	6426
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.9 NORTHGATE STREET		

Exterior

Early C19; a building of similar scale shown in J Laporte's engraving published 1804 and in engraving after C Norris's drawing of 1817. Plain three storey, three bay stuccoed elevation to the Quay with slate gabled roof with cement rendered flanking stacks. Plinth. Window openings with plain reveals; four panes wide on lower floors and three panes wide on second floor. Central doorcase with modillion cornice, engaged columns, panelled reveals, half-glazed panelled door and rectangular overlight with tracery. Inside, central wooden lattice staircase in Chinese Chippendale style with flanking six panelled doors in entrance hall. Rear wing with street elevation to Dark Lane of two storeys, two bays; on ground floor, two square headed two light windows with shaped heads and mullions and half glazed door with overlight; sash windows without glazing bars above.

Authority	Pembrokeshire	Record No	6425
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.7 NORTHGATE STREET		

Exterior

Late C18 to mid C19. Three storey house with stuccoed cladding and slate gabled roof. Two bays and centre doorway. On ground floor, modern door flanked to each side by a sash window without glazing bars; on first and second floors, sash windows with glazing bards, with square sashes on second floor.

Authority	Pembrokeshire	Record No	6427
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NOS.2 & 4 NORTHGATE STREET		

Exterior

The street formerly known as Dark Lane has been re-named Northgate Street.

The first wing is a later C19 addition to an early to mid C19 building. Stuccoed with slate gabled roofs. Two storeys. Front elevation of three bays; on ground floor with sash window without glazing bars to left hand, two doorways in centre, the left hand one with six panels and the right hand door half glazed; to right hand, shop window three lights wide and two deep. On first floor, canted bay window to right hand and two sash windows to left hand.

North elevation of earlier, west rear wing has, on ground floor, sash window without glazing bars to right hand, and, to left hand, doorcase with entablature with modillions and barley-sugar twisted columns with later C19 inset gabled wood porch; door of six panels with the centre two glazed; sash windows three panes wide. High east rear wing has canted bay window to left hand on ground floor and sash window partly without glazing bars on first floor.

North-south wing with former stabled at North end altered externally and thus of less interest.

Inside, earlier section with contemporary precipitous staircase dividing into two, six panelled doors and panelled shutters.

Included on account of doorcase and on account of the group value of the building.

Authority	Pembrokeshire	Record No	6460
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.1 TOWN QUAY		

Exterior

Adjoins No 10 Northgate Street, to the east.

Early C19. Two storey cottage with three-bay front elevation with roughcast cladding, cemented slate gabled roof with red brick flanking stacks. Sash windows three panes wide. Central doorway with wooden reveals and four panelled door with the top two panels with rounded heads. Stuccoed. North-east elevation with one small sash window to right hand on first floor. Front garden enclosed by low wall of stone rubble. Low rear one storey outbuilding range with old pantile roof and stone rubble walls.

Authority	Pembrokeshire	Record No	6418
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II

Name **WALL TO N.OF ST.MARY'S CHURCHYARD WALLS & NOS.6-12 MAIN STREET(EVEN NOS.)GARDEN WALLS TO REAR OF NOS**

Exterior

The town walls, of probably late C12 to early C13 origin (see Archaeological Cambrensis 1981) are shown in Speed's map and in C17 French Map (RCAHM fig 234). Little of the mediaeval town walls appear to survive above ground with it is thought that many of the rear garden walls to properties on North and South sides of Main Street either in some instances incorporate the foundations of the mediaeval walls or may be built in several places on their course. The walls included here are also important in their contribution to the conception of Pembroke as a walled town.

From a point north of St Michael's Churchyard eastwards as far as Barnard's Tower the remains of the Town Walls are a Scheduled Ancient Monument.

To the west of this scheduled portion, a low wall of stone continues as far as to the north of Nos. 11,12 and 13 East Back and of the Baptist Chapel; here the wall is completely broken down in places. There are some further walls on rock escarpments in the gardens of Nos. 6 to 14 East Back. The wall to north of No. 6 East Back turns sharply south and rises up the side of a rock outcrop, continuing westwards along this as far as a point to the north of No. 5 East Back. From there westwards the wall is very high until, to the rear of No. 82 Main Street there is a change of masonry and height so that the walling is lower and of smaller rubble. There are again further walls to the south on rock terraces in the gardens of Nos. 64 to 82 Main Street. From the rear of No. 74 Main Street, the walls run on a more southerly alignment as far as Morgan's Way. To the west of Morgan's Way, the walls incorporate the remains of a probably C17 double barbican tower as shown for instance in engravings after Buck & Wilson. The walls diminish in height to north of St Mary's Churchyard Walls.

Authority	Pembrokeshire	Record No	6399
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	N.,E.& W.WALLS TO ST.MARY'S CHURCHYARD,MAIN STREET		

Exterior

Of mediaeval origin, on the north probably forming the section of the mediaeval town walls with adjoined the town's north gateway. High walls of stone rubble, partly rendered and on north side built upon a rock outcrop with boulders near the base.

Authority	Pembrokeshire	Record No	6400
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	I

Name **PARISH CHURCH OF ST.MARY,MAIN STREET**

Exterior

Late C12 or early C13 origin. North aisle probably of C14, with tower of similar date. Church restored circa 1869 to 1882 with J L Pearson as architect circa 1879 and possibly earlier. West door of circa 1890; west porch of 1927; extension to south porch of 1937. Stone walls and slate roofs. north aisle, nave, south porch and transept, chancel and massive north-east tower, the last with slightly battered base and corbelled embattled cornice; blocked arch in north chancel wall.

All windows are late C19 replacements except for two C13 windows in south wall visible from behind brick house; the other original windows were plastered over in 1879, contrary to J L Pearson's instructions. Nave arcade of four plain pointed arches with plain, chamfered piers. North aisle retain its original plain pointed south Pembrokeshire vault.

The timber roof to the taller nave is late C19; late C19 chancel arch. West windows with stained glass representations of the four Evangelists by Clayton and Bell. Moulded semi-circular south doorway with niche over with C17 tablet. Adjoining chancel arch, a fragment of a late medieval relief in alabaster, converted in C17 to a monument to members of the Adams family (See Paterchurch tower, Royal Dockyard, Pembrok Dock). Monument to John Gwther, died in 1737. In chancel, door to road loft and corbelling along north wall. Memorials to Edward Byam (died in 1768), to Rowland and John Meyricke, dying at ages of 9 and 5 in 1606; Reredos to designs of J L Pearson, unveiled 1893. In south transept, memorial of 1684 to Francis Parry, Mayor of Pembroke.

Authority	Pembrokeshire	Record No	6401
		Date Listed	02/10/1951
Community	Pembroke	Date Amended	14/07/1981
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.2 MAIN STREET (BRICK HOUSE)		

Exterior

C18; originally of two storeys and attic, the roof raised in C19. Three storey house with slate gabled roof with later C19 red brick stack to left hand; dentil eaves cornice, stone walls but with the front wall faced in brick with brick pilasters and stringcourses. Four bay front elevation has front left hand on ground floor, sash window four panes wide, square-headed doorway with modern six panelled door, blocked overlight and modern doorcase with pilasters and pediment; late C19 to early C20 shop front, the left hand window of three-lights and the central doorway with blocked overlight, modern glazed door and scroll consoles. On first floor, four tall segmental window openings with keystones as shown in engraving after Gastineau but with late C19 or later sash windows without glazing bars. Shorter sash windows three panes wide on second floor. Inside, rear first floor room to east with C18 fireplace with eared architrave; two fielded panelled door; C19 staircase; apprentice's bed with canopy in central second floor room. See engraving after H Gastineau drawing of Pembroke.

Authority	Pembrokeshire	Record No	6402
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.16 MAIN STREET		

Exterior

Early to mid C19; three storey building with cement rendered cladding and slate gabled roof with red flanking stacks. Three bay front elevation has from left hand on ground floor, triple sash window with glazing bars, two steps up to flat-headed doorway with panelled reveals, five panelled door and rectangular overlight and , in middle and to right hand, shop floor of two modern windows in modern mosaic casing. Sash windows three panes wide on upper floors, the second floor windows smaller and two of them with horns. Inside, low staircase with straight balusters but with heavy handrail in C18 style; six panelled doors, some with raised and fielded panels. Include on account of retention of contemporary interior features.

Authority	Pembrokeshire	Record No	6403
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.36 MAIN STREET		

Exterior

C18. Building of two storeys and attic with stuccoed cladding and slate gabled roof with coping to right hand and three gabled sash dormers. Four bay front elevation has from left hand on ground floor a sash window, a canted bay window in bay two, doorway with rectangular overlight and six panelled door and late C19 to early C20 shop front with common fascia and cornice over shop window and left hand half-glazed panelled door with rectangular overlight. On first floor. Three sash windows without glazing bars, the second opening from left hand blocked. Dormers (see above). The ground floor shop retained fielded panelling on North East and North West walls; two fielded panelled door to entrance hall; rest of interior not inspected. Included on account of panelling.

Authority	Pembrokeshire	Record No	6404
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	RETAINING WALL BEFORE NOS.62-82 MAIN STREET & CONDUIT & MILESTONE BELOW NO.74		

Exterior

C19; conduit and milestone date probably from early to mid C19; Lewis's "Topographical Dictionary of Wales" of 1833 refers to a series of seven conduits in the old town. Retaining wall of stone rubble three feet in the centre. Flights of steps, eg before no. 70. Wall surmounted by modern kerb surface in which are embedded octagonal tapering bollards with iron chain railings. The conduit and milestone are embedded in the wall at a point below no. 74 Main street and comprise a rectangular structure of dressed stone with semi-circular niche, cornice and crown in a semi-circular pediment with square cast-iron plaque inscribed "Tenby/10/miles."

Authority	Pembrokeshire	Record No	6405
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19800 201000
		Grade	II
Name	NO.84 MAIN STREET		

Exterior

Early C19 front to a building with possibly C18 or earlier core on its east side. Three storeys with roughcast cladding and slate gabled roof with C19 red brick stack to left hand. Two window bays and end doorways. On ground floor, from left hand, house doorway with stuccoed architrave and six panelled door, the upper floor panels moulded; C19 bow fronted window seven panes wide and four deep, in casing of pilasters, fascia and cornice, one of only four left in Main Street, Pembroke; thirdly, shop doorway with modern half-glazed doors; fourthly, ledged passage door beneath No. 86. On upper floors, sash windows without glazing bars, smaller on second floor, and the windows in the right hand bay set lower. Inside, C18 fireplace with eared architrave in east bedroom on second floor; late C18 to early C19 iron grate here and on first floor. Ground floor east room with low ceiling, its structure hidden by plaster.

Authority	Pembrokeshire	Record No	6362
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19900 201000
		Grade	II
Name	NO.17 KINGSBRIDGE COTTAGES,HOLYLAND ROAD		

Exterior

Mid C19. One of a row of single storey cottages, most of which have been too altered for inclusion within the statutory list. Slate gabled roof with rendered flanking stacks. Creamwashed stone rubble front wall. Sash window three panes wide each side of central doorway with plain fanlight and half-glazed modern door. Low front garden walls of stone rubble with rubble coping; gate piers as in nos 3 and 4. Included as an example of the C19 single-storey houses in the vicinity of Pembroke and of Pembroke Dock, on account of its retention of early features in its facade.

Authority	Pembrokeshire	Record No	6361
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19900 201000
		Grade	II
Name	NO.10 KINGSBRIDGE COTTAGES,HOLYLAND ROAD		

Exterior

Mid C19. One of a row of single storey cottages, many of which have been too altered for inclusion within the statutory list. Centre doorway and flanking windows. Gabled roof with flanking stacks. Cement rendered cladding. Sash windows three panes wide. Doorway with four-panelled door and fanlight. Front garden wall of stone with rough blocks of stone for coping; gate piers with shallow pyramidal coping of single blocks of stone. Included as an example of the C19 single storey houses in the vicinity of Pembroke and Pembroke Dock, on account of its retention of C19 features in the facade.

Authority	Pembrokeshire	Record No	6360
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19900 201000
		Grade	II
Name	NO.7 KINGSBRIDGE COTTAGES,HOLYLAND ROAD		

Exterior

Mid C19. One of a row of single storey cottages, many of which have been too altered for inclusion within the statutory list. Centre doorway and flanking windows. Slate gabled roof with red tile ridge; flanking stacks. Pebbledash cladding; fancy stuccoed surrounds. Sash windows three panes wide. Central doorway with four panelled door with the top two panels rounded and with plain fanlight. Front garden wall of stone with gate piers of dressed stone with pyramidal coping; iron gate with uprights and finials rising above top and middle rails. Included as an example of the C19 single storey houses in the vicinity of Pembroke and of Pembroke Dock, on account of its retention of C19 features in the facade.

Authority	Pembrokeshire	Record No	6359
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19900 201000
		Grade	II
Name	NO.4 KINGSBRIDGE COTTAGES,HOLYLAND ROAD		

Exterior

Mid C19. One of a row of single storey cottages, many of which have been too altered for inclusion within the statutory list. Centre door bay and flanking windows. Slate gabled roof. Rendered flanking stacks. Pebbledash cladding. Cement rendered surrounds. Sash windows three panes wide. Central doorway with plain fanlight and four moulded panelled door. Front garden with slate path and slate clad steps, enclosed by wall of stone with pebbledash cladding and with rough blocks of stone. Included as an example of the C19 single storey houses in the vicinity of Pembroke and Pembroke Dock, on account of its retention of C19 features in the facade.

Authority	Pembrokeshire	Record No	6358
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19900 201000
		Grade	II
Name	NO.2 KINGSBRIDGE COTTAGES,HOLYLAND ROAD		

Exterior

Mid C19. One of a row of single storey cottages, many of which are too altered for inclusion within the statutory list. Slate gabled roof; flanking stacks, the left hand one with pebbledash cladding and the right hand one rendered. Fancy stuccoed surrounds. Sash windows three panes wide. Door of four moulded panels with plain fanlight. Front garden wall of stone with pebbledash cladding and with rough blocks of stone for coping. Simple gate piers. Included as an example of the C19 single storey houses in the vicinity of Pembroke and Pembroke Dock, on account of its retention of C19 features in the facade.

Authority	Pembrokeshire	Record No	6357
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19900 201000
		Grade	II
Name	HOLYLAND,HOLYLAND ROAD		

Exterior

Early C19. Two storeys. Slate roof. South-west elevation: five bays including a full-height bow of three windows width at left hand. Stringcourse. Cement rendered cladding. Sash windows three panes wide, some with horns. Central ground floor bay of bow with modern French casement with overlight. Modern ground floor projection at right hand end. North-west elevation with lower service wing against it, with its North-west elevation with many openings blocked. Long south-east or front elevation of three storeys with hipped three storey projection at north end and with flat-roofed single storey projection against ground floor; sash windows with glazing bars, with unsymmetrical spacing. Ground floor with modern doors and sash windows with glazing bars. A high garden wall of stone rubble runs eastwards from the North-east angle of the house.

Inside, vestibule has two early to mid C19 doorways with reeded architraves and roundels to angle blocks. Staircase with straight balusters and open scroll string in centre of house.

The home of a branch of the Adamases of Paterchurch in the C19; the stable block, too altered for inclusion within the statutory list, bears a central keystone inscribed "AA/1825".

Authority	Pembrokeshire	Record No	6363
		Date Listed	14/07/1981
Community	Pembroke		
Locality		Grid Ref	19000 190000
		Grade	II

Name **OUTBUILDING RANGE AT KINGSTON FARM TO SE.OF OLD FARMHOUSE,KINGSTON HILL**

Exterior

Small outbuilding at North-east end of range with stone walls and slate gabled roof incorporating vaulted ground floor chamber of medieval Pembrokeshire style. One storey and loft. Externally, loft door in South-west elevation; North-west gable end with ventilator slit above and below, the upper slit with dripstone; window to loft in North-east long elevation.

To South-west, long outbuilding range, C18 to C19, with stone rubble walls and slate roof. Blocked arched doorway in North-east gable end. Whitewashed North-west elevation with three wide entrances towards northern end; South-east elevation with two doorways and a window.

Farmhouse has been modernised but retains inglenook fireplace with bressumer and bread oven, C19 staircase and two panelled doors; too altered externally for inclusion in statutory list.

Authority	Pembrokeshire	Record No	19238
		Date Listed	23/01/1998
Community	Pembroke		
Locality	Pembroke	Grid Ref	19820 101600
		Grade	II
Name	Wall to S of Town Quay		

Location

On S side of Town Quay, W end below tower of Pembroke Castle.

History

Probably C18/C19 origins as revetment wall and rear curtilage walls of buildings in Castle Terrace. Close to line of medieval wall. Until late C20 warehouses servicing town quay made use of the masonry for their rear walls.

Exterior

Grey stone wall runs E from below castle tower for approximately 60 metres before turning S at public conveniences. W end of wall has some crenellations; wall drops down towards centre; E end has some plaster, and doors and joist holes for former buildings. Towards W end of wall, former warehouse, stone, 2 storeys, gable facing N; altered in 1990s, and not of special interest in its own right.

Listed

Listed as masonry on a key site in the shadow of Pembroke Castle, important in its contribution to the conception of Pembroke as a walled town.

Authority	Pembrokeshire	Record No	22763
		Date Listed	06/12/1999
Community	Pembroke		
Locality	Pembroke	Grid Ref	19870 201400
Postcode	SA71 4HL	Grade	II
Name	Mount Pleasant Baptist Chapel		
Street No, Name	East Back		
Street Side	N		

Location

Situated near the centre of Pembroke, set back from East Back and near its junction with Main Street.

History

Baptist chapel first built in 1859, rebuilt to the designs of the Rev Thomas Thomas of Landore in 1877-8. One of his relatively rare Gothic designs, closely related to his Hope Independent Chapel, Pontarddulais, Glamorgan of 1871.

Exterior

Chapel, rock-faced grey limestone with Bath stone dressings and slate roof. Broad four-bay Gothic gable front with broad coped gable, and small iron finial. Five buttresses with ashlar quoins and offsets, the outer buttresses capped by ashlar pinnacles. All buttresses are identical up to second offset, but vary above this. The centre one has a short ashlar gable-capped top at level of main window heads, the next two have an additional offset at the level of main eaves and a short ashlar gable-capped top, but with trefoil headed panel. Outer pair have an ashlar pier above the second offset with trefoil-headed panel and pinnacle with short octagonal shaft and taller octagonal pointed cap with tiny gablets each face and iron finial. Gable has very large ashlar framed blank roundel, the frame inscribed 'Baptist Chapel AD 1859 AD 1877', the infill C20 imitation stone. First floor has two 2-light pointed windows with cusped tracery, hoodmoulds and stone voussoirs. Wings have quatrefoil roundel with stone voussoirs. Ground floor has 2 pointed doors with cusped Y-tracery fanlights, hoodmoulds and stone voussoirs. C20 doors. Sides have similar 2-light window to those above doors, slightly differing tracery. Windows have moulded sills carried across to adjacent buttresses. Raised plinth. Side walls are roughcast with 3 tall cambered-headed windows with marginal glazing bars. Attached to rear is roughcast 2-storey vestry and schoolroom, double-fronted with 2 cambered-headed windows above, 2 flat-headed windows below. Centre door on E side, 3-window range to rear.

Interior

Three-sided gallery on 7 cast-iron fluted columns with furled leaf capitals. Gallery front has cornice, long panels under cast-iron inserts with scroll and anthemion pattern, and panelled pilasters between. Pitch-pine pews in 3 blocks, canted to sides, shaped ends with low doors. Set fawr has curved-ended rail on cast-iron stanchions with scrolled brackets. Pulpit has steps up each side, chamfered newels and finials, rails with inset circles between chamfered stick balusters. Short serpentine curved sides to pulpit platform with similar rails. Three-sided pulpit with ornate fretwork traceried panels, inset angle shafts and moulded top rail. Big plaster pulpit back with ogee top over pilaster piers with egg-and-dart bordered panels. Lobby has two doors and centre horizontal window with etched coloured glass margins. Three-sided ceiling in panels with moulded ribs, one large plaster rose, two smaller roses and 8 vents, 6 square, 2 round.

Listed

Included as a large Gothic chapel by one of the leading Welsh chapel architects with good facade to street and surviving original interior.

0

Authority	Pembrokeshire	Record No	22765
		Date Listed	06/12/1999
Community	Pembroke		
Locality	Pembroke	Grid Ref	19870 201400
		Grade	II
Name	Gates and railings at Mount Pleasant Baptist Chapel		
Street No, Name	East Back		
Street Side	N		

Location

Chapel is near the centre of Pembroke, set back from East Back and near its junction with Main Street. Gates and railings situated on street line at entry to chapel forecourt.

History

Gates and railings of c1877 to Baptist chapel designed by the Rev Thomas Thomas. The ironwork is made by the Coalbrookdale Ironworks, Shropshire, the firm used by Thomas elsewhere, for example Providence Chapel, Llangadog, Carmarthenshire, built 1883.

Exterior

Gates and railings, Pembrokeshire grey limestone piers and low wall with cast-iron railings and gates. Centre entry with two big tooled stone octagonal piers. raised plinths, plain capitals, chamfered on lower course, and with octagonal pyramid capstones. Big ornate double gates for vehicular access with spearhead rails, twisted standards and raised knobs at tops, mid-height and bottoms of standards. Below mid-rail open-work Gothic tracery and bottom rail of cusped vesicas. Each side similar standards with spearheads over rock-faced stone coped low walls.

Listed

Included as a good example of Victorian cast-iron work and for group value with the chapel.

Authority	Pembrokeshire	Record No	22764
		Date Listed	06/12/1999
Community	Pembroke		
Locality	Pembroke	Grid Ref	19820 201500
Postcode	SA71 4LB	Grade	II
Name	Westgate Presbyterian Church		

Location

Situated on the W side of Pembroke on a corner at the junction of The Parade and Westgate Hill, just S of the castle.

History

Calvinistic Methodist chapel of 1866-7, by K W Ladd of Pembroke Dock. Alterations to vestry, 1913, by C T Hall of Pembroke.

Exterior

Chapel. coursed rock-faced Pembrokeshire grey limestone with red brick dressings and slate roof. Limestone quoins, raised plinth. Projecting gable front with coped shouldered gable and gabled kneelers. Single stair tower projects sideways to right, this with canted hipped roof. Italian Romanesque style with big centre triplet of 3 arched lights, the surrounds and two column piers all bi-colour, red brick and grey-brown sandstone. Centre light has stilted head. Sloping brick with black brick patterns below windows down to stone sills. Below, a carved double scroll, the upper one inscribed 'Westgate', the longer lower one 'Calvinistic Methodist Chapel 1828 1866'. Ground floor between two narrow single lights, with bicolour heads but sandstone sides and sills. The door is doubly recessed, outer arch bi-colour brick and limestone, arched on underside, pointed on upper side, on chamfered limestone jambs. Inner arch has chamfered jambs and red brick arch with stone keystone. Double doors with diagonal boarding, under sandstone flat lintel on two shaped sandstone corbels. Brick infill above with pattern in black brick. Matching doorway in rebated left side wall of front projection.

Stair tower to right has window similar to those on ground floor, at mid level, and another similar window set higher in side wall.

Chapel is set in a slope with basement schoolroom, exposed to rightside. Two storey, 4-window range with tall arched upper windows, sandstone frames, bi-colour arches, and cambered headed basement windows in similar frames, door in grey limestone frame between third and fourth windows. Plain rendered rear wall. Upper side wall has similar 4 arched windows but with small gabled single storey projection between third and fourth with arched door in limestone frame to front. Similar gable coping and kneeler set-back end-wall of chapel.

Interior

Interior with plastered walls and segmental pointed ceiling in plaster panels divided by thin moulded ribs. behind pulpit a big ornate 3-bay plaster pilastrade with flat cornice. Single end gallery on two iron columns, with deep boarded overhang and front in panels with diagonal boarding and stop-chamfered surrounds. Lobby beneath with 2 doors and octofoil centre window. Pews in 3 blocks, inward facing each side of pulpit. Roll-moulded backs with vertical boarding, similar ends with low doors. Pulpit has been moved forward to accommodate a big organ partly obscuring the rear pilastrade, flanked by raked choir seats. Organ is tall with Gothic case with blind colonnade below painted pipes. Matching marble memorials to the Rev John Rees Owen (d1888) and the Rev William Powell (d1894) each side. Simple platform with side steps and rail on Gothic iron standards with leaf-scroll brackets. Pulpit behind is ornate with 3-panel front, fretwork gothic panels over diagonally-boarded panels, similar sides, and heavy moulded cornice. Early C20 coloured glass in windows flanking pulpit. basement schoolroom has 6 iron columns.

Listed

Included for the architectural interest of its Romanesque-style facade, prominently sited on approach to Pembroke Castle, and for the largely unaltered interior.

Reference

W. Evans & O. Symond, A History of the South Pembrokeshire Calvinistic Methodist Churches, 1913, p
17;
Carmarthen Journal, 11/08/1867; **0**
The Architect, 06/06/1913.

